

Chemical Applications of Neutron Scattering: Coherent Scattering and Adsorbed Layers EXAMPLES

ISIS Neutron School 2017 Stuart Clarke

BP Institute, Department of Chemistry, University of Cambridge, UK

Talk Outline

- Neutron scattering
 - Coherent scattering structure
 - Incoherent scattering dynamics
- Examples of surfaces / neutron applications:

Adsorbed layers:

In-plane structure – 2D diffraction (D20)

Out-of-plane structure – reflection (SURF, CRISP,

INTER, POLREF, OFFSPEC)

What's adsorbed? (IQNS - dynamics) IRIS

Colloidal dispersions (dominated by surfaces)

What's on the surface? SANS (LOQ)

What arrangement ? SE- SANS

Liquid structure PDF (SANDALS, NIMROD)

Conclusions

We use LOTS of different techniques to answer complex problems Too much to cover.... See how far we get..

Conclusions

Neutrons

Very powerful tool(s) for Structure (Dynamics)

- Contrast between H and D very useful: highlight
- Can 'see' Hydrogen: Highlight
- Excellent transmission (extreme/commerical conditions)


BUT.

Tricky to get hold of/limited access
 (complement with other methods)

Examples of Monolayers

Academic and industrial issues:
 Colloidal stablisation, molecular patterning, wetting behaviour, detergency,
 Slip agents, liquid crystals.
 Solid monolayers

- Mixtures / Multicomponent: Cheaper ...
- Buried' monolayers
 inaccessible to study:
 Need to get through bulk phase
 -neutrons have great transmission
 Unusual experimental approaches



Talk Outline

Examples of surfaces / neutron applications:Adsorbed layers:

In-plane structure – 2D diffraction

Out-of-plane structure – reflection

What's adsorbed? (IQNS - dynamics)

Colloidal dispersions (dominated by surfaces)

What's on the surface? SANS

What arrangement? SE- SANS


Liquid structure PDF (NIMROD)


3D diffraction:crystallography

- 'work horse' of chemical community
- Crystal structures of minerals, materials, organic molecular structure determination.
- Neutrons very good at hydrogen (xrays no so good)
- Adjacent elements (look the same to xrays)


TODAY: 3D → 2D diffraction

In-plane 2D Structure: X-ray and Neutron diffraction







Neutrons: sensitive to hydrogen X-rays: greater precision Independent information Combination is often essential



Low coverage

Chloromethane monolayer: X-rays







Chlorine atoms

Where are CH₃ groups? *Guessed:*

Ferro electric ordering? Like bulk crystal plane...








Bulk Plane


Chloromethane


Low coverage












With neutrons:

Anti ferroelectric Alternating chains





Morishige, et al., Mol Phys , 72 395-411 (1991). 'The Structure of Chloromethane Monolayers Adsorbed on Graphite'.



Mixing: How do you tell if two species like each other?

1) They avoid each other → phase separation:




Mixing ideally





Special relationship; stoichiometric complex Molecular compound




Structure: Diffraction from Mixed Monolayers How do molecules mix on a surface?








(a) Phase sep.



Heptanol/nonanol

(b) Mixing

(say A very output of the control of th




Heptanol/octanol


'Special, non-covalent bonding between molecules' Big topic of supramolecular self assembly

Donation of lone pair from nitrogen to lodine ataom

Novel Chemical interactions: Halogen Bonded co-crystal

N....I-C





Monolayer

'New hydrogen bonds'
Very stable layers

2DT>> 3DT

Directional
Strong
'Controls' strength
and orientation

2D –diffraction: summary

- Can see in-plane molecular structure. (non-invasive)
- X ray and neutrons can be essential :
 Neutrons 'see' H
- Determine surface phase behaviour
- Characterise inter molecular bonding

Talk Outline

• Examples of surfaces / neutron applications:

Adsorbed layers:

In-plane structure – 2D diffraction

Out-of-plane structure – reflection

What's adsorbed? (IQNS - dynamics)

Colloidal dispersions (dominated by surfaces)

What's on the surface? SANS

What arrangement? SE- SANS

Liquid structure PDF (NIMROD)

Neutron Reflection: how does it work?


 Extend to new solid/liquid Interfaces: iron oxides, stainless, alumina, Ti oxides, Ni, Cu ...

(previously: silica, Al₂O₃)

 New conditions: applied shear




$$q = \frac{4\pi sin\theta}{\lambda}$$





nction of 'angle' (q)..


ces




Solid/liquid cell









Liquid

Neutron: 'Magic'

- Contrast matching..
- Making things disappear!
- Unique structural solution.
- → BIG advantage of neutrons

- Need to make sure complete exchange of solutions.. Not always easy..
- Ask me about 'baby oil'?

Reflection Example #1

• Calcite (CaCO3)


Very important mineral
Scale in your kettle
Oil reservoirs
Overbasing agent in engines


What adsorbs and how? In oil? In water? Polymers? Surfactants?




(Birefringent...! Double refraction)

Neutron reflection: Example #1 Surfactant, AOT, on Calcite (CaCO3) in oil








Adsorption of a monolayer on a surface:


(The bare surface, monolayer and bilayer calculations)

Reflection Example: Additives on calcite...






Monolayers, Bilayers
multilayers and
adsorbed polymers




Surface corrosion

Molecular precision!



Why a bilayer adsorbs in water?



Reflection Example : Mineral Surfaces - mica

(Kate Miller)

Layered silicate: mineral books






Clays are key component of many oil reserviors

Very common in AFM/SFA studies

Many attempts to study with neutron reflection failed

- → To hard to get a beam through
- → Can't deposit through vapour
- → Thin sheets too flexible/break.. So..?

'Peeling' Mica





Support very thin layers on solid substrate and 'peel'

Does it work?.....


Can we see adsorption on mica in solution?...

Surfactant adsorption on mica







(b) CTAB: NOT same as AFM



Mica

Example: Layers under Shear






(steady and oscillatory shear)
Modest shear rates < 500s⁻¹
(pipe flow, or flow over rock-beds)


Shear/Flow: AOT on Alumina/water


 H_3C O SO_3 Na H_3C O O SO_3 Na

Thin layers




Thick layers





Effects of Shear: neutron reflection: Thin layer




SURFACTANT BILAYER (thin layer approx. 30A thick)

Data: under steady shear increasing to approx 1000s⁻¹:

Shear has no effect on thin layer

Very thin layer - too thin for significant shear effects. (Same result under oscillatory shear).



Critical shear rate that delaminate the layers

Talk Outline

Examples of surfaces / neutron applications:

Adsorbed layers:

In-plane structure – 2D diffraction

Out-of-plane structure – reflection

What's adsorbed?

(IQNS - dynamics)

Colloidal dispersions (dominated by surfaces)

What's on the surface? SANS

What arrangement? SE- SANS

Liquid structure PDF (NIMROD)

Quasi-elastic neutron scattering


Diffusive motions

How long to move out of your 'box'


Incoherent Neutron Scattering

Actually get a distribution of scattered neutron energies:

Intensity




Details of the angular dependence of the scattering can inform us about molecular motions



IN10/IN16/IRIS


 $\Delta\mathsf{E}$

Hydrogen and Deuterium are different



Quasi-elastic Incoherent Neutron Scattering (IQNS) – 'Dynamics'

- Isotopic substitution to distinguish components (H>>D)
 - Dynamics to differentiate adsorbed from non-adsorbed materials
- Neutrons can exchange energy with sample nuclei:




Intensity of elastic scattering

Amount of adsorbed material


Adsorbed Molecules are different

Adsorbed layers are 'static'


Liquids are 'dynamic'




Use mobility to distinguish adsorbed layers




Incoherent quasi-elastic neutron scattering (IQNS)



IQNS Results: Octane on Graphite




What's adsorbed: (IQNS) Results from mixtures



Dynamics of Adsorbed Layers


- Distinguish solid from liquid
 - elastic scattering
- Diffusion coefficient of liquid layers
 - Width of the quasi-elastic peak




Mark Johnson

Rotati

q-dependence of the elastic scattering





Talk Outline

• Examples of surfaces / neutron applications:

Adsorbed layers:

In-plane structure – 2D diffraction

Out-of-plane structure – reflection

What's adsorbed? (IQNS - dynamics)

Colloidal dispersions (dominated by surfaces)

What's on the surface? SANS

What arrangement? SE- SANS


Liquid structure PDF (NIMROD)

What are Colloids?

Want to know

• C What shape are the separate colloids What orientation

What arrangement




Important flow properties


Need to 'look' through metal cells

Opaque samples

Neutron Transmission



Form and Structure Factors




SANS: single colloid scattering (Dilute) What's on the surface

Mixtures: Contrast matching: 'magic'


Scattering from silica in water:
 Mixtures of H₂O and D₂O

Change scattering of water (refractive index = 'colour'): silica –disappears



'See' each component of a mixture separately Simplify complex systems

Small Angle Scattering: - P(Q) Dilute core-shell particles Thin water layer on calcite colloids in oil




P(Q) form factor for core-shell more complex Structure: core/water/surfactant/oil

'Contrast variation'
H₂O and D₂O mixtures
change 'colour' of different bits

Contrast variation:

Enhance sensitivity to each bit by selective deuteration




IF TIME SANS: Single particle orientation

SANS of plate-like particles

SANS: single particles

- orientation



Flow Direction


When is the extent of orientational order?

Under flow?

With particle size?

Aspect ratio?

Concentration?




Anisotropic Particles

Completely random particle distribution => 'powder' ring

Perfectly aligned => single 'spot'


Preferred orientation => 'arc' of intensity

Measuring orientational order of plates



Orientational order of the plates in flow

Dense Clay pastes under static and cross-flow conditions




Two colour cars



END of EXTRA BIT

SANS: Interference Between Objects





- Consider scattering as distribution of spheres
 - we know scattering for isolated object, e.g. spheres (P(Q))
 - S(Q) is called the interference or 'structure factor' arising from interference of scattering from different colloids.
 - Measured intensity is:


$$I(Q)=P(Q)xS(Q)$$

- Other systems:
 - Crystal unit cells repeat on a regular lattice

Colloidal crystals of spheres










Diffract light ... Gives 'diffraction patterns'


→ Use diffraction to give structure

Colloidal Spheres under flow



Crystal

Perfectly ordered sequence of perfect hexagonally ordered layers




'Layers'


Perfect hexagonally ordered layers Sliding over each other with many different positions


'Strings'


Particles in lines


Increasing Shear Rate











'Crystal'


'Sliding layers'

Behaviour like 'atoms' only much larger scales and slower

'Strings'

Charged stabilised latex spheres 8%

S(Q): Scattering Patterns from Layered Systems



IF – TIME EXTRA BIT SE- SANS

TRICKY!!!!

SANS - SE-SANS VERY BIG objects

Big objects are seen at **small** scattering angles ('Reciprocal space')


To see scattering by SANS at small angles need VERY tightly collimated beam: BUT THEN NO FLUX!!


Spin echo SANS → Keep wide open beam and Encode the scattering angle in the neutron spin!!


(VERY CLEVER IDEA THIS!!)

Spin Echo -SANS

Encode scattering angle in the neutron polarisation







Collect intensity as a function of 'z' (combination of field angle, wavelength etc)
(Precession usually in horizontal plane)

Andersson 2008

SE SANS technique: Basic approach

- Beam polarised in and out
- Polarisation rotates one way and then back
- Depends upon time in the magnetic fields
- If neutrons don't change direction → big echo
- If neutrons change direction (funny shaped field) →
 Weaker 'echo' or depolarised.
- Spin echo to encodes the angle (q')
- → Actually Measure:

Real space, density-density correlation function, G(z)


Example: Silica particles in polymer matrix


Colloidal Crystal

J. Baumberg Samples:

Hexagonal layers of 200nm silica in polymer matrix, 0.47 volume fraction.


Layers oriented and regularly stacked





Volume fraction 0.47 silica spheres Ordered by 'bending' process Stacked in layers.

'Ordered' array of spheres: SE-SANS



- i) Core radius (big!): 90nm (good agreement)
- (ii) Vol fract as z→ ∞, 0.22 in reasonable agreement.
- (iii) First correlation peak is less ordered than expected.
- (iv) Higher order correlations of a true crystal are lost.

Clearly indicates significant positional disorder in the 'crystal'.

End SE-SANS extra bit

Talk Outline

• Examples of surfaces / neutron applications:

Adsorbed layers:

In-plane structure – 2D diffraction

Out-of-plane structure – reflection

What's adsorbed? (IQNS - dynamics)

Colloidal dispersions (dominated by surfaces)

What's on the surface? SANS

What arrangement? SE- SANS

Liquid structure PDF (NIMROD)


Can we 'understand' liquid structure?

No long range order: NO diffraction??
 Oh dear!!

But still a lot of structure..


Radial distribution function

Liquid species



Radial distribution function

Liquid species




How many species in this shell at distance r from the central one: g(r)

Pair distribution function: g(r)


(normalised)

- 'Hard' core...
- Nearest neighbour shells...

• ...




Pair distribution function: g(r), FT of scattering data




Can we 'understand' liquid structure?

See all Atom-Atom distances

- Separate different atom contributions by isotopic exchange (H and D):
- a) First difference (big circles exchanged):




b) Second difference:




→ ONLY solute-solute distances!!


PDF example: Acetonitrile

See correct molecular structure at short distances



 Solvent shells at Longer distances






Supercapacitors: lons in acetonitrile

- TPA Br in acetonitrile:
- See 'ion pairs'

$$\begin{array}{c|c} & H & H \\ \hline & C_2 c - C_3 c \\ \hline & H \\ \hline & H \\ \end{array}$$



Talk Outline

- Neutron sources
 - Coherent scattering structure
 - Incoherent scattering dynamics
- Examples of surfaces / neutron applications:

Adsorbed layers:

In-plane structure – 2D diffraction

Out-of-plane structure – reflection

What's adsorbed? (IQNS - dynamics)

Colloidal dispersions (dominated by surfaces)

What's on the surface? SANS

What arrangement ? SE- SANS

Liquid structure PDF (NIMROD)

Conclusions

Thanks..

- Adam Brewer Halogen bonding:
- Kate Miller/Lucy Griffin/Seung Lee: Calcite and Mica
- Beth Howe/ Becky Welbourne (Phoebe Allen): PDF
- Tom Arnold (DIAMOND): Alkane diffraction



ILL/ISIS / KEK/ LLB/ Berlin..etc.

neutron Time
DIAMOND/SLS – SAXS time
All the (Long suffering) beamline scientists

Thank YOU!



